

## **TECHNICAL DATA SHEET**

Revision: 3

Edition: August/2022

### **STANLUX SILVER R 4800**

- High performance aluminium paste with lamellar particles and narrow curve of particles size distribution
- From medium to fine particles size
- Non leafing grade specially recommended for application in high performance systems that require differentiated metallic effect
- Solvent: mixture of White Spirit and High Aromatic

#### ***SPECIFIED CHARACTERISTICS***

- |                                   |            |
|-----------------------------------|------------|
| • Solid content                   | 63% to 67% |
| • Maximum retention in # 325 Mesh | 0.10%      |
| • Maximum water content           | 0,15%      |

#### ***INFORMATIVE CHARACTERISTICS***

- |   |            |
|---|------------|
| • Average Particles Size- (D50 - Malvern) | 18 microns |
|---|------------|

#### ***Typical Uses***

- Automotive coatings systems – OEM, refinishing and car parts
- Plastic coatings
- Metal effect coatings with very high surface requirements

---

Before using the product, we recommend that you consult the safety information, including the adequate handling and transport, which are available in the product's Material Safety Data Sheet – MSDS. The information mentioned in this technical bulletin represents our current level of knowledge and experience, but shall not be considered as a guarantee. It is the user's responsibility to assure the adequate use of the product, since **Aldoro** will not accept liability on any type of loss or damage which may arise due to the use of this information or application of the product. **Aldoro** reserves itself the right of changing, without prior notice, any data contained in this bulletin, resulting from adjustment, development or evolution of the production process.

---